QUICK REFERENCE GUIDE > OR30SCI6X1

# Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Stainless Steel



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## **DIMENSIONS**

Height  $35\sqrt[3]{4} \cdot 37\sqrt[5]{8}$  " Width  $29\sqrt[7]{8}$  " Depth  $25\sqrt[1]{4}$  "

## **FEATURES & BENEFITS**

## **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

#### Power & control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

## Generous capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

# Quality and durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

#### Easy to clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

## Safe and sound

Designed for your safety and convenience, this range features

full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

## **SPECIFICATIONS**

Automatic pre-set

Accessories			
2-pc grill system (Broil pan and	•		
Broil pan	•		
Full extension sliding shelves	2 sets (part 578776)		
Hob rear trim (optional)	3" (part 81656)		
Kick strip, stainless steel	Part 81660		
Pyrolytic proof shelf runners	1 set		
Capacity			
Total capacity	3.6 cu ft		
Usable capacity	2.9 cu ft		
Cleaning			
Acid resistant graphite enamel	•		
Drop down grill element	•		
Flat easy clean glass surface	•		
Pyrolytic proof shelf runners	•		
Pyrolytic self-clean	•		
Removable oven door	•		
Removable shelf runners	•		
Controls			
Audio feedback	•		
Automatic cooking/minute	•		

QUICK REFERENCE GUIDE > OR30SCI6X1

Celsius/Fahrenheit	•	Bake	•	Induction cooking technology	•
Electronic clock	•	Maxi Broil	•	PowerBoost	•
High resolution display	•	Number of functions	9		
Interior light	•	Rapid proof	•	Rangetop Performance	
Laser etched graphics	•	Roast	•	Left front zone rating	1850 - 3000W
Precise electronic temperature	•	Self-clean	•	Left rear zone rating	1850 - 3000W
Sabbath mode	•	True Aero	•	Right front zone rating	1400 - 2200W
Toughened fused glass	•			Right rear zone rating	2300 - 3700W
Turned stainless steel clock	•	Oven performance			
Turned stainless steel dials	•	Combined warming/Storage	220W	Safety	
Wifi connectivity	•	CoolTouch door	Triple glazed	Advanced cooling system	•
		Grill power	4050W	Anti-tilt bracket	•
Main oven features		Warming drawer power	220W	Balanced oven door	•
Shelf positions	7			Catalytic venting system	•
		Power requirements		Child lock	•
Oven features		Amperage	51A (Recommended Electrical	CoolTouch door	•
Automatic rapid pre-heat	•	Supply frequency	60Hz	Full extension telescopic	•
Concealed element	•	Supply voltage	120 - 240V	Non-tip shelves	•
Electronic oven control	•			Pan detection system	•
Full extension telescopic	2 sets (part 578776)	Product dimensions		Safety time out	•
Internal light	2 x 25W halogen (rear)	Depth	25 <sup>1</sup> / <sub>4</sub> "	Spill containment	1/8 gallon
Pyrolytic proof shelf runners	•	Height	35 <sup>3</sup> / <sub>4</sub> - 37 <sup>5</sup> / <sub>8</sub> "	Spillage auto off	•
Self-cleaning	•	Installation cutout dimensions	25 1/4 "	Surface hot indicators	•
Soft open/close door	•	Installation cutout dimensions	30 "		
True convection	•	Width	29 <sup>7</sup> / <sub>8</sub> "	Warranty	
				Parts and labor	2 years
Oven functions		Rangetop features			
Aero Bake	•	Auto heat reduce	•		
Aero Broil	•	Gentle heat	2 settings	SKU	81961
Aero™ Pastry with Pizza mode			9		

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 24.12.2020 > 3

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



User Guide



Energy Label



Service & Warranty Booklet



Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com