




SEE PAGES 2-3 FOR A LIST OF ACCESSORIES!



Design features:

- Sturdy, 1-piece molded fiberglass construction — ribbed underbody for extra strength, slip resistant Starburst® surface
- Integral molded drain with seal for connection to 2" Sch. #40 ABS, PVC or iron DWV sanitary drain pipe. See optional drain seals for 1-1/2" pipe and 2" copper — removable strainer
- Available in White, Biscuit and Bone (see chart below)
- Semi-gloss surface — resistant to mold and mildew, easy to clean
- Designed to be used with Mustee's DURAWALL® shower walls, ceramic tile or preformed wall kit

Code Accepted



- International Association of Plumbing and Mechanical Officials® (IAPMO®)
- Warnock Hersey® (Canada) Listed – CSA test standards Shower Floor
- American National Standards Institute (ANSI) - Specification ANSI Z 124-2011
- American Society of Testing and Materials (ASTM) – D.635, E-84 and E-162
- CAN/ULC S102-07 Burn and Smoke Test

Specifications

Model	Nom. Size	Color	UPC	A	B	C
3636CM	36" x 36"	White	6 71031 00140 5	36"	12"	18"
3636CBN	36" x 36"	Bone	6 71031 00138 2	36"	12"	18"
3636CBT	36" x 36"	Biscuit	6 71031 00377 5	36"	12"	18"
Centerlines: 17-1/2" x 24-3/8" x 17-1/2"						
3838CM	38" x 38"	White	6 71031 00160 3	38"	12"	20"
3838CBN	38" x 38"	Bone	6 71031 00158 0	38"	12"	20"
3838CBT	38" x 38"	Biscuit	6 71031 00378 2	38"	12"	20"
Centerlines: 19-1/2" x 24-3/8" x 19-1/2"						
4242CM	42" x 42"	White	6 71031 00318 8	42"	12"	24"
4242CBN	42" x 42"	Bone	6 71031 00319 5	42"	12"	24"
Centerlines: 23-1/2" x 24-3/8" x 23-1/2"						

Note: Centerline varies, based upon thickness of side walls. Placement of enclosure off line also allows for adjustment

General: Furnish and install as shown on plans. DURABASE® Neo-Angle, corner threshold shower floor model _____ as manufactured by E.L. Mustee & Sons, Inc. Floor to be one-piece, molded fiberglass, made with matched metal molds. Surface to be slip-resistant Starburst® design that does not interfere with the flow of water. Size _____" x _____". Shoulder will be no less than 3" high or less than 1" wide. Tiling flange will extend not less than 1" higher than the threshold which provides an integral molded water barrier. Threshold will be not less than 4 1/2" high. Molded-in drain and drain seal for installation of 2" iron DWV (Sch. 40) PVC or ABS sanitary drain pipe. Removable strainer. Shall meet ANSI Z 124-2011. Color: _____ (White, Bone, Biscuit)





Mustee's DURABASE® Shower Floors are just the beginning of a beautiful shower space that can be created in virtually any location. The accessory products presented here will help you build the shower of your dreams, starting with Mustee's renown DURABASE® Shower Floors.


GapSeal-Pro™ — FOR ALL SHOWER FLOORS AND BATHTUBS



Model No.	Description	UPC
60.320A	132" long x 2" tall	6 71031 00496 3

The flexible PVC GapSeal-Pro™ features a strong adhesive strip that allows it to be easily positioned to "extend" tile flange and effectively seal the gap between drywall or like-surfaces on shower floors or bathtubs. Patent pending.

Drain Seals



Model No.	Description	UPC
32.404	Drain Seal for 2" copper pipe	6 71031 00313 3
32.405	Drain Seal for 1-1/2" ABS/PVC pipe	6 71031 00397 3

Designed to effectively seal the connection between DWV piping and the molded-in drain for all DURABASE® shower floors.

Strainers



Model No.	Description
34.301	Strainer – Stainless steel
42.322	Strainer – Molded plastic - White
42.323	Strainer – Molded plastic - Bone
42.326	Strainer – Molded plastic - Chrome
42.327	Strainer – Molded plastic - Gold

Premium grade, removable strainers.

736C DURAWALL® — PREMIUM FIBERGLASS 3-PANEL NEO-ANGLE/ CORNER SHOWER WALLS, DIRECT TO STUDWALL MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
736CWHT	36" x 36" Deep	3636CM	6 71031 00207 5
736CBN	36" x 36" Deep	3636CBN	6 71031 00205 1

738C DURAWALL® — PREMIUM FIBERGLASS 3-PANEL NEO-ANGLE/ CORNER SHOWER WALLS, DIRECT TO STUDWALL MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
738CWHT	38" x 38" Deep	3838CM	6 71031 00245 7

742C DURAWALL® — PREMIUM FIBERGLASS 3-PANEL NEO-ANGLE/ CORNER SHOWER WALLS, DIRECT TO STUDWALL MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
742CWHT	42" x 42" Deep	4242CM	6 71031 00320 1
742CBN	42" x 42" Deep	4242CBN	6 71031 00321 8





237 DURAWALL® — DELUXE THERMOPLASTIC 3-PANEL NEO-ANGLE/ CORNER SHOWER WALLS, ADHESIVE-MOUNT



Model No.	Description	Fits DURABASE®	UPC (for wall)
237WHT	Up to 42" x 42" Deep	3636CM, 3838CM, 4242CM	6 71031 00039 2
237BN	Up to 42" x 42" Deep	3636CBN, 3838CBN, 4242CBN	6 71031 00374 4

STYLEMATE® — NEO-ANGLE ENCLOSURES



Model No.	Finish	Glass	Fits DURABASE®	UPC (for enclosure)
36" Neo-Angle				
36.750	Chrome	Obscure	3636CM	6 71031 00261 7
36.761	Chrome	Clear	3636CM	6 71031 00453 6
36.762	Brushed Nickel	Clear	3636CM	6 71031 00454 3
36.763	Oil-Rubbed Bronze	Clear	3636CM	6 71031 00455 0
38" Neo-Angle				
38.750	Chrome	Obscure	3838CM	6 71031 00269 3
38.751	Chrome	Clear	3838CM	6 71031 00456 7
38.752	Brushed Nickel	Clear	3838CM	6 71031 00457 4
38.753	Oil-Rubbed Bronze	Clear	3838CM	6 71031 00458 1
42" Neo-Angle				
42.750	Chrome	Obscure	4242CM	6 71031 00322 5
42.751	Chrome	Clear	4242CM	6 71031 00459 8
42.752	Brushed Nickel	Clear	4242CM	6 71031 00460 4
42.753	Oil-Rubbed Bronze	Clear	4242CM	6 71031 00461 1

